Weber, S.J. 63
Weigand, P. 63
Whang, C.N. 169
Whangbo, S.W. 169
Wong, P.Y. 260
Wu, Z.Q. 179
Xiao, Z. 285
Xie, S.-p. 316
Yang, D.-q. 316
Yoshimi, T. 31
Yu, S. 220
Yun, J.-Y. 163
Zeng, J. 179
Zhang, H. 77
Zhang, Y. 216
Zhao, Y.N. 220
Zhou, S. 67
Zou, G.T. 220

ELSEVIER

Thin Solid Films 320 (1998) 340–344

thin solid films

# Subject Index of Volume 320

Absorption
Photophysical investigations of Langmuir–Blodgett mono- and multilayer films of pheophorbide-a, 305
$(acac)_2TiNEt_2$
MOCVD of TiN and/or Ti from new precursors, 15
Al
Integrated CVD–PVD Al plug processing for sub-half micron features, 52
Nucleation and growth of CVD Al on different types of TiN, 67
Alcohol
Alcohol-assisted growth of copper CVD films, 86
Al–Cu interconnect
Electromigration failure model: its application to W plug and Al-filled vias, 45
Al-fill processes
Temperature dependence of the Al-fill processes for submicron-via structures, 63
Al metallization
Thermal stability of Al/barrier/$TiSi_x$ multilayer structures, 20
Al planarization process
Integrated Al-plug process for 0.45 $\mu$m contact/via at 420°C, 58
Aluminium
Development of an optical model for steady state porous anodic films on aluminium formed in phosphoric acid, 241
Amorphous diamondlike carbon
Properties of GaAs solar cells coated with diamondlike carbon films, 159
Amorphous layer
Structural change of TiN/Ti/$SiO_2$ multilayers by $N_2$ annealing, 31
Amorphous silicon
Integrated tungsten polycide: analysis of interface composition, 128
Annealing
Structural change of TiN/Ti/$SiO_2$ multilayers by $N_2$ annealing, 31
Anodic oxidation
Development of an optical model for steady state porous anodic films on aluminium formed in phosphoric acid, 241
Antireflecting properties
Properties of GaAs solar cells coated with diamondlike carbon films, 159
Auger electron spectroscopy
Investigation of the composition and electrical properties of gold–H-terminated silicon(111) interface, 228

Back-end integration
Integrated Al-plug process for 0.45 $\mu$m contact/via at 420°C, 58
$BaF_2$ thin film
Absolute infrared absorption measurements in optical coatings using mirage detection, 198
Benzene
Tungsten–carbon films prepared by reactive sputtering from argon–benzene discharges, 192
BICMOS process
Integrated Al-plug process for 0.45 $\mu$m contact/via at 420°C, 58
Bilayer
Enhanced exchange field of NiO/NiFe bilayer by dual ion beam sputtering process control, 298
Boron nitride
Preparation of c-BN films by RF sputtering and the relation of BN phase formation to the substrate bias and temperature, 220

Capacitance
Electrical conduction mechanisms in thermally evaporated thin films of 2-(4-biphenylyl)-5-(4-*tert*-butylphenyl)-1,3,4-oxadiazole, 320
Carbon
Tungsten–carbon films prepared by reactive sputtering from argon–benzene discharges, 192
Carrier gas
The carrier gas and surface passivation effects on selectivity in chemical vapor deposition of copper films, 95
Effect of the carrier gas on the metal-organic chemical vapor deposition of TiN from tetrakis-dimethyl-amido-titanium, 163
Chemical composition
Effect of the carrier gas on the metal-organic chemical vapor deposition of TiN from tetrakis-dimethyl-amido-titanium, 163
Chemical conversion process
Textured black brass spectrally selective coating, 211
Chemical mechanical polishing (CMP)
Exploring CMP solutions to planarity challenges with tungsten plugs, 103
Chemical vapor deposition
Thermal stability of Al/barrier/$TiSi_x$ multilayer structures, 20
Alcohol-assisted growth of copper CVD films, 86
Integrated tungsten polycide: analysis of interface composition, 128
Experimental and numerical analysis of rapid reaction to initiate the radical chain reactions in WSix CVD, 151
Chemical vapor deposition (CVD)
Integrated CVD–PVD Al plug processing for sub-half micron features, 52
Cobalt disilicide
Co-deposition of cobalt disilicide on silicon–germanium thin films, 206
Contact
Integrated barrier/plug fill schemes for high aspect ratio Gb DRAM contact metallization, 73
Contact resistivities
Thermally stable Pd/Sn and Pd/Sn/Au ohmic contacts to *n*-type GaAs, 253
Contact/sheet resistance
Temperature dependence of the Al-fill processes for submicron-via structures, 63
Copper
Alcohol-assisted growth of copper CVD films, 86
The carrier gas and surface passivation effects on selectivity in chemical vapor deposition of copper films, 95

Elsevier Science S.A.
*PII* S0040-6090(98)00829-3

Co-silicidation
Effect of implantation oxide on the Ti- and Co-silicidation of narrow diffusion and poly-lines, 122
Crystalline defects
RBS/channeling studies on the heteroepitaxially grown $Y_2O_3$ film on Si(100), 169
$Cu(hfac)_2$
Alcohol-assisted growth of copper CVD films, 86
Cu metallization
Structural and chemical stability of Ta–Si–N thin film between Si and Cu, 141
CVD
Growth and properties of W–Si–N diffusion barriers deposited by chemical vapor deposition, 10
Nucleation and growth of CVD Al on different types of TiN, 67
The carrier gas and surface passivation effects on selectivity in chemical vapor deposition of copper films, 95
CVD Al/PVD Al integration
CVD Al/PVD Al integration for advanced via and interconnect technology, 35
CVD Ti and TiN
Integrated barrier/plug fill schemes for high aspect ratio Gb DRAM contact metallization, 73

Defect induced laser damage
Defect induced laser damage in oxide multilayer coatings for 248 nm, 264
Deposition process
Growth of $C_{60}$ single crystal films on metal substrates, 179
Deposition rate
Effect of the carrier gas on the metal-organic chemical vapor deposition of TiN from tetrakis-dimethyl-amido-titanium, 163
Dichlorosilane tungsten silicide
Integrated tungsten polycide: analysis of interface composition, 128
Diffusion barrier
Growth and properties of W–Si–N diffusion barriers deposited by chemical vapor deposition, 10
Thermal stability of Al/barrier/$TiSi_x$ multilayer structures, 20
Improved TiN film as a diffusion barrier between copper and silicon, 134
Structural and chemical stability of Ta–Si–N thin film between Si and Cu, 141
Diffusion profile
Structural change of $TiN/Ti/SiO_2$ multilayers by $N_2$ annealing, 31
Dissipation
Electrical conduction mechanisms in thermally evaporated thin films of 2-(4-biphenylyl)-5-(4-*tert*-butylphenyl)-1,3,4-oxadiazole, 320
Double domain structure
RBS/channeling studies on the heteroepitaxially grown $Y_2O_3$ film on Si(100), 169
DRAM
Process technology and integration challenges for high performance interconnects, 1

Electrical properties and measurements
Study of the environment effect on the properties of BDN-SA Langmuir–Blodgett films, 316
Electrochemistry
All solid-state electrochromic window of electrodeposited $WO_3$ and prussian blue film with PVC gel electrolyte, 285
Electromigration
Electromigration failure model: its application to W plug and Al-filled vias, 45
Ellipsometry
Development of an optical model for steady state porous anodic films on aluminium formed in phosphoric acid, 241
Etching
Enhanced exchange field of NiO/NiFe bilayer by dual ion beam sputtering process control, 298
EXAFS
Co-deposition of cobalt disilicide on silicon–germanium thin films, 206
Exchange field
Enhanced exchange field of NiO/NiFe bilayer by dual ion beam sputtering process control, 298
Excimer laser
Excimer laser deposition and characteristics of tin oxide thin films, 216

Film
What limits the application of TEM in the semiconductor industry?, 77
Film growth
Growth of $C_{60}$ single crystal films on metal substrates, 179
Film morphology
Effect of the carrier gas on the metal-organic chemical vapor deposition of TiN from tetrakis-dimethyl-amido-titanium, 163
Fourier transform infrared (FTIR)
Preparation of c-BN films by RF sputtering and the relation of BN phase formation to the substrate bias and temperature, 220
Fullerene
Growth of $C_{60}$ single crystal films on metal substrates, 179

GaAs solar cells
Properties of GaAs solar cells coated with diamondlike carbon films, 159
Gallium arsenide
Influences of crystallographic misorientation of GaAs substrateson misfit stresses and microhardness of InGaP epilayers, 173
GaSb island
Metalorganic chemical vapour deposition of GaSb quantum dots on germanium, 166
Gas phase reaction rate constant
Experimental and numerical analysis of rapid reaction to initiate the radical chain reactions in WSix CVD, 151
Gb DRAM
Integrated barrier/plug fill schemes for high aspect ratio Gb DRAM contact metallization, 73
Germanium
Metalorganic chemical vapour deposition of GaSb quantum dots on germanium, 166
Relaxation of extrinsic and intrinsic stresses in germanium substrates with silicon films, 260
Gold
Investigation of the composition and electrical properties of gold–H-terminated silicon(111) interface, 228
Grain boundary
Improved TiN film as a diffusion barrier between copper and silicon, 134
Growth mechanism
Growth of $C_{60}$ single crystal films on metal substrates, 179
Influence of substrate properties on the growth of titanium films: Part II, 331

Hardness
Influences of crystallographic misorientation of GaAs substrateson misfit stresses and microhardness of InGaP epilayers, 173
Heat treatment
Relaxation of extrinsic and intrinsic stresses in germanium substrates with silicon films, 260
Influence of substrate properties on the growth of titanium films: Part II, 331
Heteroepitaxially grown
RBS/channeling studies on the heteroepitaxially grown $Y_2O_3$ film on Si(100), 169

Hot nickel
Polishing of polycrystalline diamond by hot nickel surface, 223
Hot tungsten filament
Polishing of polycrystalline diamond by hot nickel surface, 223
H-terminated Si(111)
Investigation of the composition and electrical properties of gold–H-terminated silicon(111) interface, 228

Implantation oxide
Effect of implantation oxide on the Ti- and Co-silicidation of narrow diffusion and poly-lines, 122
Initial solar absorptance
Textured black brass spectrally selective coating, 211
Integrated polycide
Integrated tungsten polycide: analysis of interface composition, 128
Interconnect
Integrated CVD–PVD Al plug processing for sub-half micron features, 52
Integrated barrier/plug fill schemes for high aspect ratio Gb DRAM contact metallization, 73
Interfaces
Influences of crystallographic misorientation of GaAs substrateson misfit stresses and microhardness of InGaP epilayers, 173
Ion beam sputtering
Enhanced exchange field of NiO/NiFe bilayer by dual ion beam sputtering process control, 298
Ion metal plasma Ti
Integrated barrier/plug fill schemes for high aspect ratio Gb DRAM contact metallization, 73

Junction leakage
Integrated Al-plug process for 0.45 $\mu$m contact/via at 420°C, 58

Kinetics
Alcohol-assisted growth of copper CVD films, 86
Knock-on
Effect of implantation oxide on the Ti- and Co-silicidation of narrow diffusion and poly-lines, 122

Langmuir–Blodgett film
Photophysical investigations of Langmuir–Blodgett mono- and multilayer films of pheophorbide-a, 305
Langmuir–Blodgett films
Study of the environment effect on the properties of BDN-SA Langmuir–Blodgett films, 316

Magnetron sputtering
Preparation of c-BN films by RF sputtering and the relation of BN phase formation to the substrate bias and temperature, 220
Masking materials: Ti/TiN and $SiO_2$
The etching behavior of tungsten (W) with respect to the orientation of the grain boundary and masking layers, 147
Mechanism
Alcohol-assisted growth of copper CVD films, 86
Metal interconnects
Process technology and integration challenges for high performance interconnects, 1
Metallization
Process technology and integration challenges for high performance interconnects, 1
CVD Al/PVD Al integration for advanced via and interconnect technology, 35
Nucleation and growth of CVD Al on different types of TiN, 67
Integrated barrier/plug fill schemes for high aspect ratio Gb DRAM contact metallization, 73
Metallizations
Thermally stable Pd/Sn and Pd/Sn/Au ohmic contacts to *n*-type GaAs, 253
Metalorganic chemical vapour deposition
Metalorganic chemical vapour deposition of GaSb quantum dots on germanium, 166
Metals
Growth of $C_{60}$ single crystal films on metal substrates, 179
Microstructure
Improved TiN film as a diffusion barrier between copper and silicon, 134
Microwave plasma CVD
Polishing of polycrystalline diamond by hot nickel surface, 223
MOCVD Ti/TiN
MOCVD of TiN and/or Ti from new precursors, 15
Monolayers
Effect of the spreading procedure on the formation of cationic–anionic mixed monolayers, 236
Multi-headed tools
Exploring CMP solutions to planarity challenges with tungsten plugs, 103

Nanocrystalline
Electrochromic properties of nanocrystalline tungsten oxide thin films, 324
Nanostructures
Microstructure and optical properties of Si–Ag nanocomposite films prepared by co-sputtering, 184
Narrow lines
Effect of implantation oxide on the Ti- and Co-silicidation of narrow diffusion and poly-lines, 122
New precursor
MOCVD of TiN and/or Ti from new precursors, 15
Non-uniformity reduction
Exploring CMP solutions to planarity challenges with tungsten plugs, 103
Nucleation
Nucleation and growth of CVD Al on different types of TiN, 67

Optical absorption
Absolute infrared absorption measurements in optical coatings using mirage detection, 198
Optical coatings
Optical properties and surface morphology of near infrared multilayer antireflection coatings, 290
Optical properties
Microstructure and optical properties of Si–Ag nanocomposite films prepared by co-sputtering, 184
Development of an optical model for steady state porous anodic films on aluminium formed in phosphoric acid, 241
Optical properties of organo-soluble polyimide thin films and their applications in liquid crystal displays, 280
All solid-state electrochromic window of electrodeposited $WO_x$ and prussian blue film with PVC gel electrolyte, 285
Oxide coatings
Defect induced laser damage in oxide multilayer coatings for 248 nm, 264

Passivation
The carrier gas and surface passivation effects on selectivity in chemical vapor deposition of copper films, 95
Phase transformations
Self-aligned Ti and Co silicides for high performance sub-0.18 $\mu$m CMOS technologies, 110
Pheophorbide-a
Photophysical investigations of Langmuir–Blodgett mono- and multilayer films of pheophorbide-a, 305
Photothermal displacement microscopy
Defect induced laser damage in oxide multilayer coatings for 248 nm, 264

Physical vapor deposition (PVD)
Integrated CVD–PVD Al plug processing for sub-half micron features, 52
Plug-fill
Integrated CVD–PVD Al plug processing for sub-half micron features, 52
Polishing diamond
Polishing of polycrystalline diamond by hot nickel surface, 223
Polycrystalline diamond film
Polishing of polycrystalline diamond by hot nickel surface, 223
Polymer
Optical properties of organo-soluble polyimide thin films and their applications in liquid crystal displays, 280
Polysilicon
Integrated tungsten polycide: analysis of interface composition, 128

Quantum dot
Metalorganic chemical vapour deposition of GaSb quantum dots on germanium, 166

Radical chain reaction
Experimental and numerical analysis of rapid reaction to initiate the radical chain reactions in WSix CVD, 151
Reflow
Integrated CVD–PVD Al plug processing for sub-half micron features, 52
Refractory nitrides
Growth and properties of W–Si–N diffusion barriers deposited by chemical vapor deposition, 10
Resistivity
Effect of the carrier gas on the metal-organic chemical vapor deposition of TiN from tetrakis-dimethyl-amido-titanium, 163

Selectivity
The carrier gas and surface passivation effects on selectivity in chemical vapor deposition of copper films, 95
Semiconductor devices
What limits the application of TEM in the semiconductor industry?, 77
Sheet resistance
Effect of implantation oxide on the Ti- and Co-silicidation of narrow diffusion and poly-lines, 122

Silicides
Self-aligned Ti and Co silicides for high performance sub-0.18 $\mu$m CMOS technologies, 110
Silicon
Microstructure and optical properties of Si–Ag nanocomposite films prepared by co-sputtering, 184
Silicon-germanium alloys
Co-deposition of cobalt disilicide on silicon–germanium thin films, 206
SIMS
Structural change of $TiN/Ti/SiO_2$ multilayers by $N_2$ annealing, 31
Si substrate
RBS/channeling studies on the heteroepitaxially grown $Y_2O_3$ film on Si(100), 169
Sputtering
Tungsten–carbon films prepared by reactive sputtering from argon–benzene discharges, 192
Relaxation of extrinsic and intrinsic stresses in germanium substrates with silicon films, 260
STM
Investigation of the composition and electrical properties of gold–H-terminated silicon(111) interface, 228
Stress
Influences of crystallographic misorientation of GaAs substrateson misfit stresses and microhardness of InGaP epilayers, 173
Relaxation of extrinsic and intrinsic stresses in germanium substrates with silicon films, 260
Influence of substrate properties on the growth of titanium films: Part II, 331
Strong dependence on RTP
TiN barrier integrity and volcano formation in W-plug applications, 26
Structural change
Structural change of $TiN/Ti/SiO_2$ multilayers by $N_2$ annealing, 31
Structure and morphology of film
Growth of $C_{60}$ single crystal films on metal substrates, 179
Stuffing
Improved TiN film as a diffusion barrier between copper and silicon, 134
Surface composition
Effect of the spreading procedure on the formation of cationic–anionic mixed monolayers, 236
Surface morphology
Optical properties and surface morphology of near infrared multilayer antireflection coatings, 290
Surface pressure
Effect of the spreading procedure on the formation of cationic–anionic mixed monolayers, 236
Surface thermodynamics
Effect of the spreading procedure on the formation of cationic–anionic mixed monolayers, 236

Ta–Si–N
Structural and chemical stability of Ta–Si–N thin film between Si and Cu, 141
TEM
Structural change of $TiN/Ti/SiO_2$ multilayers by $N_2$ annealing, 31
TEMAT
MOCVD of TiN and/or Ti from new precursors, 15
Temperature dependence
Temperature dependence of the Al-fill processes for submicron-via structures, 63
Thermal budget
Integrated Al-plug process for 0.45 $\mu$m contact/via at 420°C, 58
Thermal emittance
Textured black brass spectrally selective coating, 211
Thermal evaporation and condensation
Electrochromic properties of nanocrystalline tungsten oxide thin films, 324
Thermal stability
Thermal stability of Al/barrier/$TiSi_x$ multilayer structures, 20
Thermally stable Pd/Sn and Pd/Sn/Au ohmic contacts to *n*-type GaAs, 253
Thermoelastic model
Defect induced laser damage in oxide multilayer coatings for 248 nm, 264
Thin film devices
Optical properties of organo-soluble polyimide thin films and their applications in liquid crystal displays, 280
Thin films
Electrical conduction mechanisms in thermally evaporated thin films of 2-(4-biphenylyl)-5-(4-*tert*-butylphenyl)-1,3,4-oxadiazole, 320
TiN
Nucleation and growth of CVD Al on different types of TiN, 67
TiN barrier
Integrated Al-plug process for 0.45 $\mu$m contact/via at 420°C, 58
TiN barrier integrity
TiN barrier integrity and volcano formation in W-plug applications, 26
Tin oxide thin films
Excimer laser deposition and characteristics of tin oxide thin films, 216

TiN/Ti/thick $SiO_2$ multilayers
Structural change of TiN/Ti/$SiO_2$ multilayers by $N_2$ annealing, 31
Ti-silicidation
Effect of implantation oxide on the Ti- and Co-silicidation of narrow diffusion and poly-lines, 122
Titanium
Influence of substrate properties on the growth of titanium films: Part II, 331
Titanium nitride
Thermal stability of Al/barrier/$TiSi_x$ multilayer structures, 20
Titanium nitride (TiN)
Improved TiN film as a diffusion barrier between copper and silicon, 134
Transmission electron microscopy (TEM)
What limits the application of TEM in the semiconductor industry?, 77
Microstructure and optical properties of Si–Ag nanocomposite films prepared by co-sputtering, 184
Tubular reactor method
Experimental and numerical analysis of rapid reaction to initiate the radical chain reactions in WSix CVD, 151
Tungsten
Tungsten–carbon films prepared by reactive sputtering from argon–benzene discharges, 192
Tungsten plug
Electromigration failure model: its application to W plug and Al-filled vias, 45
Tungsten trioxide
Electrochromic properties of nanocrystalline tungsten oxide thin films, 324

ULSI
Self-aligned Ti and Co silicides for high performance sub-0.18 $\mu$m CMOS technologies, 110

Vapor deposition
Excimer laser deposition and characteristics of tin oxide thin films, 216
Via-fill
Integrated CVD–PVD Al plug processing for sub-half micron features, 52
Vias
CVD Al/PVD Al integration for advanced via and interconnect technology, 35
Volcano formation
TiN barrier integrity and volcano formation in W-plug applications, 26

W
Exploring CMP solutions to planarity challenges with tungsten plugs, 103
W grain boundary orientation
The etching behavior of tungsten (W) with respect to the orientation of the grain boundary and masking layers, 147
$WO_3$
All solid-state electrochromic window of electrodeposited $WO_3$ and prussian blue film with PVC gel electrolyte, 285
WSiN
Growth and properties of W–Si–N diffusion barriers deposited by chemical vapor deposition, 10
WSix
Experimental and numerical analysis of rapid reaction to initiate the radical chain reactions in WSix CVD, 151

X-ray diffraction
Growth of $C_{60}$ single crystal films on metal substrates, 179
X-ray photoelectron spectroscopy
Study of the environment effect on the properties of BDN-SA Langmuir–Blodgett films, 316
XRD
Structural change of TiN/Ti/$SiO_2$ multilayers by $N_2$ annealing, 31

Yttrium oxide
RBS/channeling studies on the heteroepitaxially grown $Y_2O_3$ film on Si(100), 169

ZnSe substrate
Absolute infrared absorption measurements in optical coatings using mirage detection, 198